

ISO 13628-8 Class 6 & 7 (API 17D) Surface Torque Tool Verification Unit.



DESCRIPTION

This unit is used to give pre-dive surface confirmation of the torque tool calibration. It consists of a standard ISO class 6/7 torque reaction bucket with sturdy base and built in torque sensor. The unit comes complete with USB cable to connect to the FORUM Torque Tool Control System for Auto Calibration. The ISO standard is unclear on bucket depth so it is best to check detail drawings before purchase. The unit can be used up to 20kNm and has adaptor for both Class 6 and Class 7 tools.

FEATURES

- ISO 13628-8 Fig 18 (API 17D) Class 6 & 7
- Max Torque 20,000Nm (15,000ft lbs)
- Hand Held Digital Read Out
- USB output to Torque Tool Control System
- Supplied in offshore suitable transit case

ISO 13628-8 Class 6 & 7 (API 17D) Surface Torque Tool Verification Unit.

SPECIFICATIONS

Torque Interface:	ISO 13628-8 Fig 18 Class 6 & 7
Maximum Torque:	20,000Nm (15,000ft lbs)
Input Square	Class 7 (3.5" Square) Class 6 (2-5/8" Square)

WHAT'S IN THE BOX

- Torque Tool Bucket inc sensor
- Handheld Display
- Bucket to Display Cable
- Display to USB Cable
- Operations & Maintenance Manual.

PART NUMBERS & OPTIONS

A019-962-151	Surface Verification Unit
--------------	---------------------------

