


OURHISTORY

Global Tubing was formed in April 2007 to meet the growing worldwide demand for coiled tubing products and related services.

Since then, a series of capacity and service expansions have reinforced Global Tubing's position as an industry leader in the development and manufacture of premium coiled tubing products for the onshore/offshore downhole and coiled line pipe markets. As a customer-focused, premier coiled tubing provider, we have strategically located stocking and/or service centers around the world and have succesfully delivered more than 100 million feet of high quality coiled tubing for downhole or pipeline applications in 10 short years. Our company continues to combine advanced technology and unmatched service to create customer value that is second to none.

TIMELINE OF EVENTS







DOWNHOLE

Work Strings (GT-80/GT-90/GT-100/DURACOIL 110)

- Well Service & Intervention (high pressure)
- Extended Reach Strings (horizontal)
- Stimulation
- Fishing
- Logging (wireline & fiber optic member)
- Plug & Perf Designs

CT Drill Strings (GT-80/GT-90/GT-100/DURACOIL 110)

- Heavy-wall
- Large Outside Diameter (OD) Tubing
- Custom Spool Requirements

Permanent Installations (GT-70/GT-80)

- Velocity Strings
- Production Tubing
- Hang-off Tubing
- Artificial Lift and ESP installations

MATERIAL GRADES

GT-70 DURACOIL 110 GT-80 DURACOIL 130 GT-90 GT-100

COILED LINE PIPE

Onshore Coiled Line Pipe

- Production Well Flowlines
- Water and Gas Injection Lines
- Temporary & Permanent Fuel Lines (Nat Gas/A1 Jet Fuel)

Offshore Coiled Line Pipe

- Subsea Flowlines
- Subsea Pipelines
- Chemical Injection Lines (MEG, MeOH, etc.)
- Service Lines
- Umbilical Tubes

Coiled Line Pipe Services

- Pipe Stringing Services
- Project Planning
- Contractor Training
- Installation Equipment Rentals
- Inventory Management
- HSEQ & Cost Impact Assessments



PRODUCTS

Coiled Tubing

We offer the widest selection of coiled tubing products in the industry. Tubing O.D. sizes range from 1.000 in (25.4 mm) to 5.000 in (127 mm) with wall thicknesses from 0.087 in (2.2mm) to 0.337 in (8.6 mm). Global Tubing's proprietary steel chemistry, experienced manufacturing and technical personnel, state-of-the-art mill technology and digital control systems deliver consistently higher quality products.

SMARTaper™

SMARTaper delivers a thicker wall at the bias weld for extra strength where it's needed while tapering to lighter wall in less crucial areas allowing for increased fatigue life without adding unnecessary weight to the tubing string. Third-party modeling and field tests prove that this unique design consistently eliminates bias-weld fatigue spikes for superior running footage and improved reach.

Coiled Line Pipe

Innovative solution for oil, gas and water gathering systems and transmission lines. Three-layer coated tubing ranging in size from 1.25 in (32 mm) to 5.00 in (102 mm) OD with nominal wall thicknesses ranging from 0.14 in (3.6 mm) to 0.337 in (8.6 mm), our coiled tubing is most commonly used in applications of temporary and permanent onshore and offshore installations where safe and efficient installations are required.

TECHNOLOGY

DURACOIL

DURACOIL is technically advanced and more cost-efficient than traditional coiled tubing for service in challenging downhole environments. It's predictable, low-risk and economical; making it the premier solution for reaching total depth in challenging lateral well environments.





CONTACT **US TODAY**

UNITED STATES

Corporate Headquarters

501 County Rd. 493 ADDRESS P.O. Drawer 2139

Dayton, TX 77535-2139

TOLL FREE 866.891.1142 713.265.5000 713.265.5099

Permian Basin Service Center

3707 South County Road 116

Midland, TX 79706

TOLL FREE 866.891.1142 713.265.5099

Northeast Service Center

ADDRESS 1040 Franklin Drive

Smock, PA 15480

TOLL FREE 866.891.1142 713.265.5099

CANADA

Red Deer Service Center

7754 47 Avenue Close

Red Deer, AB T4P 2J9

403.346.9231 OFFICE 403.771.4076 MOBILE

403.346.9254 FAX

Northwest Service Center

9101 – 150 Avenue

Grande Prairie, AB T8X 0B1

403.346.9231 OFFICE 403.771.4076 MOBILE 403.346.9254

FAX