



# PRODUCT+ SERVICE CATALOG



**COILED TUBING**

By **FET** | Global Tubing



# OUR OFFER

## PRODUCTS

---

### Coiled Tubing

We offer the widest selection of coiled tubing products in the industry. Tubing O.D. sizes range from 1.000in (25.4 mm) to 5.000in (127mm) with wall thicknesses from 0.087 in (2.2mm) to 0.337 in (8.6 mm). Global Tubing's proprietary steel chemistry, experienced manufacturing and technical personnel, state-of-the-art mill technology and digital control systems deliver consistently higher quality products.

### SMARTaper™

SMARTaper delivers a thicker wall at the bias weld for extra strength where it's needed while tapering to lighter wall in less crucial areas allowing for increased fatigue life without adding unnecessary weight to the tubing string. Third-party modeling and field tests prove that this unique design consistently eliminates bias-weld fatigue spikes for superior running footage and improved reach.

### Coiled Line Pipe

Innovative solution for oil, gas and water gathering systems and transmission lines. Three-layer coated tubing ranging in size from 1.25 in (32 mm) to 5.00 in (102 mm) OD with nominal wall thicknesses ranging from 0.14 in (3.6 mm) to 0.337 in (8.6 mm), our coiled tubing is most commonly used in applications of temporary and permanent onshore and offshore installations where safe and efficient installations are required.

## TECHNOLOGY

---

### DURACOIL

DURACOIL is technically advanced and more cost-efficient than traditional coiled tubing for service in challenging downhole environments. It's predictable, low-risk and economical; making it the premier solution for reaching total depth in challenging lateral well environments.




## COILED TUBING

By **FET** | Global Tubing

# DURACOIL™

## A SMART SOLUTION

- 1,700 DURACOIL™ Strings, with a combined length of 26 million feet shipped globally.
- OD Breakdown
  - 1.50" & 1.75" — <2%
  - 2.000" — 9%
  - 2.375" — 68%
  - 2.625" — 21%
  - 2.875" — <1%
- Maximum Length in feet
  - 2.000" — 38,000 ft
  - 2.375" — 45,000 ft
  - 2.625" — 33,000 ft



HALO INDUCTION  
TECHNOLOGY™







# COILED TUBING PRODUCTS

## DOWNHOLE

### Work Strings (GT-90/GT-100/DC-95/DC-100/DC-110/DC-120/DC-130)

- Well Service & Intervention (high pressure)
- Extended Reach Strings (horizontal)
- Stimulation
- Fishing
- Logging (wireline & fiber optic member)
- Plug & Perf Designs

### CT Drilling Strings (GT-90/GT-100/DC-95/DC-100/DC-110)

- Heavy-wall
- Large Outside Diameter (OD) Tubing
- Custom Spool Requirements

### Permanent Installations (GT-70/GT-90)

- Velocity Strings
- Production Tubing
- Hang-off Tubing
- Artificial Lift and ESP installations

## MATERIAL GRADES

GT-70	DURACOIL 95
GT-90	DURACOIL 100
GT-100	DURACOIL 110
	DURACOIL 110 for CTD
	DURACOIL 120
	DURACOIL 130
	DURACOIL 140

## COILED LINE PIPE

### Onshore Coiled Line Pipe

- Production Well Flowlines
- Water and Gas Injection Lines
- Temporary & Permanent Fuel Lines (Nat Gas/A1 Jet Fuel)

### Offshore Coiled Line Pipe

- Subsea Flowlines
- Subsea Pipelines
- Chemical Injection Lines (MEG, MeOH, etc.)
- Service Lines
- Umbilical Tubes

### Coiled Line Pipe Services

- Pipe Stringing Services
- Project Planning
- Contractor Training
- Installation Equipment Rentals
- Inventory Management
- HSEQ & Cost Impact Assessments






# OUR HISTORY

**Global Tubing was formed in April 2007 to meet the growing worldwide demand for coiled tubing products and related services.**

Since then, a series of capacity and service expansions have reinforced Global Tubing's position as an industry leader in the development and manufacture of premium coiled tubing products for the onshore/offshore downhole and coiled line pipe markets. As a customer-focused, premier coiled tubing provider, we have strategically located stocking and/or service centers around the world and have successfully delivered more than 100 million feet of high quality coiled tubing for downhole or pipeline applications in 10 short years. Our company continues to combine advanced technology and unmatched service to create customer value that is second to none.

## TIMELINE OF EVENTS







## COILED TUBING

By **FET** | Global Tubing.

# CONTACT US TODAY

### UNITED STATES

#### Corporate Headquarters

ADDRESS 501 County Rd. 493  
P.O. Drawer 2139  
Dayton, TX 77535-2139

TOLL FREE 866.891.1142  
OFFICE 713.265.5000  
FAX 713.265.5099

#### Permian Basin Service Center

ADDRESS 3707 South County Road 116  
Midland, TX 79706

TOLL FREE 866.891.1142  
FAX 713.265.5099

#### Northeast Service Center

ADDRESS 1040 Franklin Drive  
Smock, PA 15480

TOLL FREE 866.891.1142  
FAX 713.265.5099

### CANADA

#### Red Deer Service Center

ADDRESS 7754 47 Avenue Close  
Red Deer, AB T4P 2J9

OFFICE 403.346.9231  
MOBILE 403.771.4076  
FAX 403.346.9254